Attorney's Docket 081468-0306993 Client Reference: P-1748.000-US



IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

EMIEL JOZEF MELANIE EUSSEN ET

AL.

Application No.: 10/720,752

Group Art Unit: 2877

Filed: November 25, 2003

Examiner: Samuel A. Turner

Confirmation Number: 2765

For: LITHOGRAPHIC INTERFEROMETER SYSTEM

Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

AMENDMENT/RESPONSE TRANSMITTAL

Transmitted herewith is an amendment/response for this application.

FEES

The fee for claims and extension of time (37 C.F.R. 1.16 and 1.17) has been calculated as shown below:

	CLAIMS										
	REMAINING	HIGH	IEST NO.								
	AFTER PREVIOUSLY PRESENT								ADDIT.		
	AMENDMENT PAID FOR			EXTRA		RATE			FEE		
·						X			•		
TOTAL	24		24	=	0	\$	50.00	=	\$	0.00	
						X					
INDEP.	5	_	5	=	0	\$	200.00	=	\$	0.00	
FIRST PRESENTATION OF MULTIPLE DEP. +										_	
CLAIM						\$	360.00	=	\$	0.00	
TOTAL ADDITIONAL CLAIM FEE									\$	0.00	
GRAND TOTAL									\$	0.00	

FEE PAYMENT

Authorization is hereby made to charge the amount of \$0.00 to Deposit Account No. 033975. Charge any additional fees required by this paper or credit any overpayment in the manner authorized above. A duplicate of this paper is attached.

PILLSBURY WINTHROP SHAW PITTMAN LLP

P.O. Box 10500 McLean, VA 22102 703 770.7797 CHRISTOPHE F. LAIR

Reg. 446, 54248

OCT 16 2007

Attorney Docket: 081468-0306993

Client Reference: P-1748.000-US

IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

In re PATENT APPLICATION of:

Confirmation Number: 2765

EUSSEN ET AL.

Application No.: 10/720,752

Group Art Unit: 2877

Filed: November 25, 2003

Examiner: SAMUEL A. TURNER

Title: LITHOGRAPHIC INTERFEROMETER SYSTEM

AMENDMENT WITH REQUEST FOR CONTINUED EXAMINATION (RCE) UNDER 37 C.F.R. §1.114

Mail Stop Amendment Commissioner for Patents P.O. Box 1450 Alexandria, VA 22313-1450

Sir:

In response to the Final Office Action dated August 16, 2007 ("Final Action"), and in conjunction with the filing of a RCE, please amend the above-identified application as follows.